

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5299	crossbar adj switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:55
L2	1275	1 and (plurality same port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:56
L3	194	2 and ((fiber or fabric)near20 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:57
L4	4	3 and ("end of packet" or EOP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:57
L5	4	3 and (("end of packet" or EOP)or ("start of frame"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:58
L6	1	5 and (start same delimiter same end)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:59
L7	89574	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:59
L8	968	7 and ("fiber channel" or "fibre channel")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:01

L9	41	8 and (frame adj length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:01
L10	4	9 and "cell-based"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:02
L11	4	10 and EOP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:03
L12	2390	370/360.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:04
L13	15	12 and "frame length"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:05
L14	0	13 and "fiber channel"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:05
L15	1	13 and "fibre channel"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:04
L16	8851	370/360,352,389.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:05

L17	78	16 and "fiber channel"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:05
L18	1	17 and "frame length"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:05
L19	3	17 and "full-duplex"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:06

Search Query Display



Recent Search Queries

Results

<u>#1</u>	((high performance <in>metadata) <and> (fiber channel<in>metadata))<and> (frame<in>metadata)	9
<u>#2</u>	crossbar matrix	58
<u>#3</u>	Frame based protocols	17
<u>#4</u>	full duplex or full-duplex and HIPPI	3627



- ☐ 1. **HIPPI: simplicity yields success**
Tolmie, D.; Renwick, J.;
Network, IEEE
Volume 7, Issue 1, Jan. 1993 Page(s):28 - 32
Digital Object Identifier 10.1109/65.193085
[AbstractPlus](#) | Full Text: [PDF\(852 KB\)](#) IEEE JNL

- ☒ 2. **Fiber channel (FCS)/ATM interworking: a design solution**
Anzaloni, A.; De Sanctis, M.; Avaltroni, F.; Rulli, G.; Proietti, L.; Lombardi, G.;
Global Telecommunications Conference, 1993, including a Communications Theory Mini-Conference.
Technical Program Conference Record, IEEE in Houston. GLOBECOM '93., IEEE
29 Nov.-2 Dec. 1993 Page(s):1127 - 1133 vol.2
Digital Object Identifier 10.1109/GLOCOM.1993.318251
[AbstractPlus](#) | Full Text: [PDF\(628 KB\)](#) IEEE CNF

- ☒ 3. **Fiber channel FCS/ATM interworking: design and performance study**
Anzaloni, A.; Agnitelli, N.; Avaltroni, F.; Corti, S.; Listanti, M.; Campagna, C.;
Global Telecommunications Conference, 1994. GLOBECOM '94. 'Communications: The Global Bridge',
IEEE
Volume 3, 28 Nov.-2 Dec. 1994 Page(s):1801 - 1807 vol.3
Digital Object Identifier 10.1109/GLOCOM.1994.513183
[AbstractPlus](#) | Full Text: [PDF\(784 KB\)](#) IEEE CNF

- ☒ 4. **Implementing a Fibre Channel SCSI transport**
Snively, R.;
Compcon Spring '94, Digest of Papers.
28 Feb.-4 March 1994 Page(s):78 - 82
Digital Object Identifier 10.1109/CMPCON.1994.282941
[AbstractPlus](#) | Full Text: [PDF\(388 KB\)](#) IEEE CNF

- ☐ 5. **Credit determination for flow control in FC-AL**
Lin Qiang; Xiong Huagang; Zhang Qishan;
Digital Avionics Systems Conference, 2004. DASC 04. The 23rd
Volume 2, 24-28 Oct. 2004 Page(s):10.A.5 - 10.1-7 Vol.2
[AbstractPlus](#) | Full Text: [PDF\(685 KB\)](#) IEEE CNF

- ☐ 6. **A high-speed acoustic data acquisition system using mostly COTS components**
Skinner, J.D.; Edmonds, G.L.; Ensberg, D.E.; D'Spain, G.L.; Hodgkiss, W.S.;
OCEANS 2003. Proceedings
Volume 5, 22-26 Sept. 2003 Page(s):2601 - 2606 Vol.5
[AbstractPlus](#) | Full Text: [PDF\(542 KB\)](#) IEEE CNF

- ☒ 7. **Evaluation of a data communication model for switched fibre channel**
Emerson, S.;
Local Computer Networks, 1995., Proceedings. 20th Conference on
16-19 Oct. 1995 Page(s):485 - 493
Digital Object Identifier 10.1109/LCN.1995.527378
[AbstractPlus](#) | Full Text: [PDF\(648 KB\)](#) IEEE CNF

- ☒ 8. **High-performance switching with fibre channel**
Anderson, T.M.; Cornelius, R.S.;
Compcon Spring '92. Thirty-Seventh IEEE Computer Society International Conference, Digest of
Papers.
24-28 Feb. 1992 Page(s):261 - 264
Digital Object Identifier 10.1109/CMPCON.1992.186721
[AbstractPlus](#) | Full Text: [PDF\(276 KB\)](#) IEEE CNF